

A photograph of a stone patio in the foreground, a vintage car with wine barrels in the middle ground, and a gazebo and cypress tree in the background.

CALIFORNIA RESIDENTIAL COLLECTION

CALIFORNIA RESIDENTIAL COLLECTION

From the old world charm of the Antique Kobble to the distinctive texture of the Siena Embossed, Acker-Stone has a paver to complement your outdoor living space. Common applications include driveways, walkways, patios, courtyards, pool decks, outdoor kitchens and living spaces.

Cover: Siena 4 PC in Catina Blend TM with a Tumbled Finish



Aviano in Catina Blend TM with a Mocha Brown TM Border








TABLE OF CONTENTS

6	Applications & Chamfers	36	Paseo
7	NEW Acker-Stone Collections	38	Paseo Grande
8	Coastal Series	40	Paseo 6 x 9
10	Umbriano®	42	Siena 4PC & Siena Small Rec
12	Palermo	44	Turf Block
14	Coping	46	Palazzo
16	4 x 12	50	Lakeland Wall I & II
18	Antique Kobble 2PC	52	Riverland Wall
20	Antique Kobble Rectangle	54	Grand Fire Ring Kit
22	Aqua-Via I	56	Victorian Fire Kit
24	Aviano	58	Customization Color Blends
26	Aviano Grande	60	Customization Special Finishes
28	Aviano 6 x 9	62	Gemstone Series
30	Bullnose	64	Ancillary Products
32	Combo Stone	66	Product Details
34	Holland I	67	Residential Warranty

APPLICATIONS



Pedestrian



Light
Vehicular



Heavy
Vehicular



Green
Friendly




Permeable



Machine
Lay

CHAMFERS

Most pavers have a beveled edge “chamfer” around the top of the paver. Verify the availability of chamfers for each paving stone. Slight chipping on the edges of non-chamfered paving units is inherent and is not considered a manufacturing defect. Special installation required. All measurements below are listed in millimeters.




Sealant technology that is proprietary to Acker-Stone and unlike conventional processes of sealing, Acker-Lock™ and Acker-Lock Plus™ are a part of the production process and integrated into our concrete stone.

	ACKER-LOCK	ACKER-LOCK ^{plus}
Reduced dirt absorption	✓	✓
Easy-to-clean	✓	✓
Algae & moss inhibiting	✓	✓
Enhanced resistance to weathering	✓	✓
Frost & deicing salt resistance	✓	✓
Reduced efflorescence	✓	✓
Zero efflorescence		✓
Sealing not required		✓
Water repelling top & bottom		✓
Zero reapplication required		✓
360 degree permanent protection		✓

Scan here to learn more about
Acker-Lock™ and Acker-Lock Plus™



THE NEW COLLECTIONS




COASTAL

NEW & EXCLUSIVE SERIES



Acker-Stone's Coastal Series integrates mother of pearl shells with our innovative manufacturing techniques to produce an extraordinarily breathtaking and highly durable hardscape solution. Coastal features Acker-Lock, a patented 360 degree integral sealant. The grind finish provides a smooth, polished surface that exposes the shells and aggregates, leaving a one-of-a-kind look.



4 x 16 in Gold Coast FM



Coastal Mist FM



Gold Coast FM



Ivory Coast FM

APPLICATIONS**CHAMFER**

Micro Chamfer

AVAILABLE SHAPES AND SIZES**3 PC (6 X 12 - 12 X 12 - 12 X 18)**

Thickness	6 cm
Size (Nominal)	5 7/8 x 11 3/4 - 11 3/4 x 11 3/4 - 11 3/4 x 17 5/8
Sizes Per Pallet	72 - 48 - 24
Sq Ft Per Pallet	116
Weight Per Pallet	3,239

18 X 18

Thickness	6 cm
Size (Nominal)	17 5/8 x 17 5/8
Stones Per Sq Ft	0.4
Stones Per Pallet	40
Sq Ft Per Pallet	90
Weight Per Piece	61.3
Weight Per Pallet	2,458

12 X 24

Sizes (Nominal)	11 3/4 x 23 3/4
Thickness	6 cm
Stones Per Sq Ft	0.5
Stones Per Pallet	40
Sq Ft Per Pallet	80
Weight Per Piece	55.6
Weight Per Pallet	2,176

6 X 12

Sizes (Nominal)	5 7/8 x 11 3/4
Thickness	6 cm
Stones Per Sq Ft	2
Stones Per Pallet	200
Sq Ft Per Pallet	100
Weight Per Piece	13.7
Weight Per Pallet	2,747

Palletized for random patterns.


UMBRIANO®

NEW & EXCLUSIVE SERIES




The look and feel of natural stone

UMBRIANO® paving stones feature a patented 360 degree integral sealing process, Acker-Lock Plus, that protects and shields against ground moisture, reduces efflorescence, decreases everyday surface stains, and is easy to clean. These pavers feature a randomized color application which ensures no repeating patterns over large surfaces, offering you an unparalleled level of uniqueness.




4 PC in Greystone FM



Desert FM



Greystone FM



Onyx FM*



Sedona FM*

**Special Order. Design minimums and project specific limitations apply.
Please call for details. Palletized for random patterns.*

APPLICATIONS



CHAMFER



Standard Chamfer

AVAILABLE SHAPES AND SIZES

6 X 12

Sizes (Nominal)	5 7/8 x 11 3/4
Thickness	6 cm
Stones Per Sq Ft	2
Stones Per Pallet	240
Sq Ft Per Pallet	117
Weight Per Piece	13.2
Weight Per Pallet	3,213

4 PC (6 X 6 - 6 X 9 - 9 X 9 - 9 X 12)

Thickness	6 cm
Size (Nominal)	5 7/8 x 5 7/8 - 5 7/8 x 8 7/8 - 8 7/8 x 8 7/8 - 8 7/8 x 11 3/4
Sizes Per Pallet	108 - 108 - 48 - 24
Stones Per Pallet	300
Sq Ft Per Pallet	109
Weight Per Pallet	2,973

12 X 24


Sizes (Nomina)	11 3/4 x 23 1/2
Thickness	5 cm
Stones Per Sq Ft	0.50
Stones Per Pallet	60
Sq Ft Per Pallet	120
Weight Per Piece	44
Weight Per Pallet	2,690

PALERMO


NEW & EXCLUSIVE SERIES



Palermo brings to life the small natural stones used to pave Europe's ancient streets. This product is produced in multiple surface configurations within one uniform size to create a beautiful and random appearance. Palermo pavers feature Acker-Lock, a patented 360 degree integral sealant.



*Palermo in Antique Pewter TM. *Special Order. Please call for details.*



Antique Pewter TM*




Limestone TM

APPLICATIONS



SPECS



Sizes (Nominal)	16cm x 15cm x 22cm x 7cm
	6.30 x 5.91 x 8.66 x 2.75
Stones Per Sq Ft	3.139
Stones Per Pallet	300
Sq Ft Per Pallet	95.58
Weight Per Piece	9
Weight Per Pallet	2,742

CHAMFER



No Chamfer

COPING

NEW & EXCLUSIVE SERIES



Acker-Stone's Coping series offers a multitude of uses from wall caps, step treads, pool edges and much more. Our coping was designed to complement the Coastal series pavers and is integrated with Acker-Lock protection. Offered in a variety of standard colors and custom options with luxurious surfaces that will add a fine-tuned final touch to any outdoor design.

Beveled Edge

Bullnose

Eased Edge





Arctic FM Grind*



Gold FM Grind



White Ivory FM Grind



Mist FM Grind

APPLICATIONS



SPECS

Stone Size (Nominal)	11 3/4 x 23 3/4
Thickness	6 cm
Stones Per Sq Ft	0.5
Stones Per Pallet	40
Sq Ft Per Pallet	80
Weight Per Piece	55.6
Weight Per Pallet	2,176

CHAMFER



Micro Chamfer

NOTES


Finish: Calibrate and Grind, Edge (24"), Single-sided eased edge. Single-sided bullnosed edge (limited quantities will be available, expect 1-2 week lead time on average). Special order options: Shot-blast, Single side beveled edge, Double eased edge, Double Bullnose, Double beveled edge. 3-Sided or 4-Sided edge please request a quote.

**Special Order*

4 X 12



4 x 12 M/C in Antique Pewter TM with Aqua-Via II (Custom) Borders in Antique Pewter TM



Antiqua Pewter TM



Catina Blend TM

APPLICATIONS



SPECS

Thickness	8 cm
Size (Nominal)	3 7/8 x 11 3/4
Stones Per Sq Ft	3.1
Stones Per Pallet	320
Sq Ft Per Pallet	105
Weight Per Piece	11.7
Weight Per Pallet	3,779

CHAMFER



Micro Chamfer

NOTES

Additional Custom Color Blends available, please see page 60-62 for more information. Additional finishes can be applied to this paver: Tumbled, Hammer, Grind and Shot Blast. Lead times vary, please contact Acker-Stone for details. Palletized for random patterns.

ANTIQUE KOBBLE 2PC



Antique Kobble 2 PC in Desert Blend TM




Antique Pewter TM



Catina Blend TM



Desert Blend TM



Oak Creek Blend TM

APPLICATIONS



SPECS

Thickness	6 cm
Sizes (Nominal)	5 1/2 x 5 1/2
	5 1/2 x 8 1/4
Stones Per Pallet	432
	Sq 144
	Rec 288
Sq Ft Per Pallet	122
Weight Per Pallet	3,353

CHAMFER



Pillow Top

NOTES

Additional Custom Color Blends available, please see page 60-62 for more information. Additional finishes can be applied to this paver: Tumbled, Hammer, Grind and Shot Blast. Lead times vary, please contact Acker-Stone for details. Palletized for random patterns.

ANTIQUE KOBBLE RECTANGLE



Antique Kobble Recs in Oak Creek Blend TM with a Tumbled Finish



Antique Pewter TM



Catina Blend TM



Charcoal TM



Desert Blend TM



Mocha Brown TM



Oak Creek Blend TM

APPLICATIONS



SPECS

Thickness	6 cm
Size (Nominal)	5 1/2 x 8 1/4
Stones Per Sq Ft	3.1
Stones Per Pallet	300
Sq Ft Per Pallet	96
Weight Per Piece	8.3
Weight Per Pallet	2,532

CHAMFER



Pillow Top


NOTES

Additional Custom Color Blends available, please see page 60-62 for more information. Additional finishes can be applied to this paver: Tumbled, Hammer, Grind and Shot Blast. Lead times vary, please contact Acker-Stone for details. Palletized for random patterns.


AQUA-VIA I



Aqua-Via I in Antique Pewter TM



Antique Pewter TM



Catina Blend TM

APPLICATIONS



SPECS

Thickness	8 cm
Sizes (Nominal)	4 3/8 x 8 3/4
Stones Per Sq Ft	3.7
Stones Per Pallet	350
Sq Ft Per Pallet	95
Weight Per Piece	9.1
Weight Per Pallet	3,237

CHAMFER



Micro Chamfer

*Void areas have No Chamfer


NOTES

Additional Custom Color Blends available, please see page 60-62 for more information. Additional finishes can be applied to this paver: Tumbled, Hammer, Grind and Shot Blast. Lead times vary, please contact Acker-Stone for details. Palletized for random patterns.


AVIANO




Aviano in Antique Pewter TM



Antique Pewter TM



Catina Blend TM



Desert Blend TM

APPLICATIONS



SPECS

Thickness	6 cm
Size (Nominal)	5 7/8 x 5 7/8 - 5 7/8 x 8 7/8 8 7/8 x 8 7/8 - 8 7/8 x 11 3/4
Stones Per Pallet	288
Sq Ft Per Pallet	109
Weight Per Pallet	3,022

CHAMFER




Slate Top – Micro Chamfer


NOTES

Additional Custom Color Blends available, please see page 60-62 for more information. Additional finishes can be applied to this paver: Tumbled, Hammer, Grind and Shot Blast. Lead times vary, please contact Acker-Stone for details. Palletized for random patterns.


AVIANO GRANDE




Aviano Grande in Antique Pewter™



Antique Pewter TM



Catina Blend TM



Desert Blend TM

APPLICATIONS



SPECS

Thickness	6 cm
Size (Nominal)	5 7/8 x 11 3/4 - 11 3/4 x 11 3/4 11 3/4 x 17 5/8
Stones Per Pallet	144
Sq Ft Per Pallet	116
Weight Per Pallet	3,239

CHAMFER



Slate Top – Micro Chamfer

NOTES

Additional Custom Color Blends available, please see page 60-62 for more information. Additional finishes can be applied to this paver: Hammer, Grind and Shot Blast. Lead times vary, please contact Acker-Stone for details. Palletized for random patterns.

AVIANO 6X9




Aviano 6 x 9 in Desert Blend TM Standard & with a Custom Tumbled Finish



Antique Pewter TM



Catina Blend TM



Charcoal TM



Desert Blend TM



Mocha Brown TM

APPLICATIONS



SPECS

Thickness	6 cm
Size (Nominal)	5 7/8 x 8 7/8
Stones Per Sq Ft	2.7
Stones Per Pallet	300
Sq Ft Per Pallet	109
Weight Per Piece	9.9
Weight Per Pallet	3,022

CHAMFER



Slate Top – Micro Chamfer

NOTES

Additional Custom Color Blends available, please see page 60-62 for more information. Additional finishes can be applied to this paver: Tumbled, Hammer, Grind and Shot Blast. Lead times vary, please contact Acker-Stone for details. Palletized for random patterns.


BULLNOSE



Bullnose in Charcoal TM




Buff TM



Charcoal TM



Mocha Brown TM



Pewter TM

SPECS

Thickness	6 cm
Size (Nominal)	3 1/8 x 12 & 2 3/8
Stones Per Sq Ft	3.7
Stones Per Pallet	352
Sq Ft Per Pallet	95
Weight Per Piece	6.7
Weight Per Pallet	2,409

CHAMFER



No Chamfer


APPLICATIONS

Bullnose represents the finishing touch for applications such as stair treads, pool coping and masonry wall caps.


NOTES

Additional Custom Color Blends available, please see page 60-62 for more information. Palletized for random patterns.

COMBO STONE



Combo Stone in Antique Pewter TM with a Tumbled Finish



Antique Pewter TM



Catina Blend TM

APPLICATIONS



SPECS

Thickness	6 cm
Sizes (Nominal)	3 7/8 x 3 7/8
	3 7/8 x 5 7/8
	3 7/8 x 7 7/8
	5 7/8 x 7 7/8
	5 7/8 x 11 3/4
Stones Per Pallet	380
Sq Ft Per Pallet	91
Weight Per Pallet	2,493

CHAMFER



No Chamfer

NOTES

Available Non-Tumbled and Tumbled.

Additional Custom Color Blends available, please see page 60-62 for more information. Immediate availability does not apply to this product. Lead times vary, please contact Acker-Stone for details. Palletized for random patterns.

HOLLAND I



Holland I in Antique Pewter TM



Antique Pewter TM



Catina Blend TM

APPLICATIONS



SPECS

Thickness	6 cm	8 cm
Size (Nominal)	3 7/8 x 7 7/8	3 7/8 x 7 7/8
Stones Per Sq Ft	4.6	4.6
Stones Per Pallet	480	384
Sq Ft Per Pallet	104	83
Weight Per Piece	5.8	7.8
Weight Per Pallet	2,815	3,012

CHAMFER



Standard Chamfer

NOTES

Additional Custom Color Blends available, please see page 60-62 for more information. Additional finishes can be applied to this paver: Tumbled, Hammer, Grind and Shot Blast. Lead times vary, please contact Acker-Stone for details. Palletized for random patterns.

PASEO



Paseo in Antique Pewter TM



Antique Pewter TM




Catina Blend TM



Desert Blend TM



Limestone TM



Terrascana TM

APPLICATIONS



SPECS

Thickness	6 cm
Size (Nominal)	5 7/8 x 5 7/8 - 5 7/8 x 8 7/8 8 7/8 x 8 7/8 - 8 7/8 x 11 3/4
Stones Per Pallet	288
Sq Ft Per Pallet	109
Weight Per Pallet	3,022

CHAMFER





Standard Chamfer

NOTES

Additional Custom Color Blends available, please see page 60-62 for more information. Additional finishes can be applied to this paver: Tumbled, Hammer, Grind and Shot Blast. Lead times vary, please contact Acker-Stone for details. Palletized for random patterns.

PASEO GRANDE



Paseo Grande in Antique Pewter TM



Antique Pewter TM



Catina Blend TM



Desert Blend TM



Limestone TM



Terrascana TM

APPLICATIONS



SPECS

Thickness	6 cm
Size (Nominal)	5 7/8 x 11 3/4 - 11 3/4 x 11 3/4 11 3/4 x 17 5/8
Stones Per Pallet	144
Sq Ft Per Pallet	116
Weight Per Pallet	3,239

CHAMFER




Standard Chamfer


NOTES

Additional Custom Color Blends available, please see page 60-62 for more information. Additional finishes can be applied to this paver: Hammer, Grind and Shot Blast. Lead times vary, please contact Acker-Stone for details. Palletized for random patterns.

PASEO 6X9



Paseo in Sandalwood FM (Custom Color) with a Paseo 6 x 9 Border in Mocha Brown TM



Antique Pewter TM



Catina Blend TM



Charcoal TM



Desert Blend TM



Mocha Brown TM

APPLICATIONS



SPECS

Thickness	6 cm
Size (Nominal)	5 7/8 x 8 7/8
Stones Per Sq Ft	2.7
Stones Per Pallet	300
Sq Ft Per Pallet	109
Weight Per Piece	9.9
Weight Per Pallet	3,022

CHAMFER



Standard Chamfer

NOTES

Additional Custom Color Blends available, please see page 60-62 for more information. Additional finishes can be applied to this paver: Tumbled, Hammer, Grind and Shot Blast. Lead times vary, please contact Acker-Stone for details. Palletized for random patterns.


SIENA EMBOSSED



Siena Small Rec



Siena 4 PC




Siena 4 PC in Antique Pewter TM with a Tumbled Finish



Antique Pewter TM



Catina Blend TM



Desert Blend TM

APPLICATIONS



SPECS

SIENA 4 PC

Thickness	7 cm
Sizes (Nominal)	6 1/4 x 6 1/4, 6 1/4 x 9 3/8, 9 3/8 x 9 3/8, 9 3/8 x 12 1/2
Stones Per Pallet	220
Small Sq	60
Small Rec	90
Large Sq	40
Large Rec	30
Sq Ft Per Pallet	104
Weight Per Pallet	3,345

SIENA SMALL REC

Thickness	7 cm
Size (Nominal)	6 1/4 x 9 3/8
Stones Per Sq Ft	2.4
Stones Per Pallet	250
Sq Ft Per Pallet	105
Weight Per Piece	13.0
Weight Per Pallet	3,292

CHAMFER



Embossed Top – No Chamfer

NOTES


Available Non-Tumbled and Tumbled.

Additional Custom Color Blends available, please see page 60-62 for more information. Immediate availability does not apply to this product. Lead times vary, please contact Acker-Stone for details. Palletized for random patterns.

TURF BLOCK



Turf Block in Pewter TM



Buff TM



Pewter TM

APPLICATIONS



SPECS

Thickness	8 cm
Size (Nominal)	15 1/2 x 23 1/2
Stones Per Sq Ft	0.4
Stones Per Pallet	40
Sq Ft Per Pallet	104
Weight Per Piece	57.5
Weight Per Pallet	2,269

CHAMFER



No Chamfer

PALAZZO



Acker-Stone's Palazzo Collection reflects a combination of modern elegance and durability, providing an extraordinary hardscape solution. Given available colors and finishes, design options are virtually limitless.



Palazzo 24 x 24 in Grey Mist FM



Bentley White FM with a Contempo Finish



Champagne FM with a Contempo Finish



Natural Pewter FM with a Contempo Finish



Onyx FM with a Contempo Finish

APPLICATIONS



CHAMFER



Standard Chamfer

AVAILABLE SHAPES AND SIZES

PALAZZO 12 X 24 **Special Order*

Sizes (Nominal)	11 3/4 x 23 1/2
Thickness	5 cm
Stones Per Sq Ft	0.50
Stones Per Pallet	60
Sq Ft Per Pallet	120
Weight Per Piece	44
Weight Per Pallet	2,690

PALAZZO 24 X 24 **Special Order*


Sizes (Nominal)	23 1/2 x 23 1/2
Thickness	5 cm
Stones Per Sq Ft	0.25
Stones Per Pallet	20
Sq Ft Per Pallet	80
Weight Per Piece	88.2
Weight Per Pallet	1,813

NOTES

All on-grade applications require joint spacers. Installation specs, details and patterns (PDF, PAT & DWG), are available online at www.ackerstone.com.

WALLS & FIREPITS

Synonymous with structural integrity and long-term durability, Acker-Stone wall systems offer a myriad of design options. Aesthetically, they are as visually appealing as they are environmentally friendly.



Lakeland Wall in Santa Fe



LAKELAND WALL



Lakeland Wall in Santa Fe



Bluestone



Santa Fe

SPECS

Lakeland I

Thickness	4 inches
Size (Nominal)	12 x 8 x 4
Stones Per Pallet	80
Sq Ft Per Pallet	26.67
Weight Per Pallet	2,530

Lakeland II

Thickness	4 inches
Size (Nominal)	4 x 8 x 4 — 8 x 8 x 4
Stones Per Pallet	80 — 80
Sq Ft Per Pallet	26.67
Weight Per Pallet	2,530

FEATURES

- Extremely versatile systems build vertical, freestanding retaining walls and outdoor living features.
- Smooth, tumbled surface.
- Lakeland builds straight walls.


NOTES

Small and Medium are sold in sets. To estimate number of units, divide total sq ft by 0.33. Lead times vary. Please call for details.

RIVERLAND WALL



Riverland Wall in Bluestone



Bluestone



Santa Fe

SPECS

Thickness	4 inches
Size (Nominal)	8 x 8 x 4 - 12 x 8 x 4 - 16 x 8 x 4
Stones Per Pallet	30 - 30 - 30
Sq Ft Per Pallet	30
Weight Per Pallet	2,750

FEATURES

- Extremely versatile systems build vertical, freestanding retaining walls and outdoor living features.
- Smooth, tumbled surface.
- Riverland builds 8 ft. radius without cutting.

NOTES

Lead times vary. Please call for details.

GRAND FIRE RING KIT



Grand Fire Ring Kit in Santa Fe



Bluestone



Santa Fe

SPECS

Dimensions	48 x 12
Interior Diameter	31 inches
Weight Per Piece	18.2
Stones Per pallet	60
Weight Per Pallet	1,057

FEATURES

- Heavy gauge solid steel insert protects block.
- Sold as 3 course high - 12 inches.

NOTES

Swivel cooking grate not included.

Available for special order. Please call for details.

VICTORIAN FIRE KIT



Victorian Fire Ring Kit in Bluestone



Bluestone



Santa Fe

SPECS

Dimensions	48 x 12
Interior Diameter	33 inches
Stones Per Pallet	17 Small – 20 Medium – 21 Large
Weight Per Pallet	1,310

FEATURES

- Heavy gauge solid steel insert protects block.
- Sold as 3 course high - 12 inches.

NOTES

Swivel cooking grate not included.
Available for special order. Please call for details.

CUSTOMIZATION

COLOR BLENDS

Interested in something custom?

Select a paver, pick a color, or a finish and we will make it exactly how you want it. Dream it and we can create it with our endless customized options.

Lead times and minimums apply.




4 x 24 No Chamfer in Buff FM, Mocha Brown FM & Pale Lime FM
all with AZ Del Mar Aggregates with a Grind & Shot Blast Finish



CUSTOMIZATION

SPECIAL FINISHES



Grind



Shot Blast



Grind & Shot Blast



Hammered

Add a unique texture to your project with any of these special finish options.

Special finishes are the result of a proven manufacturing technique developed to enhance the overall beauty of your project.



Tumbled



Grind & Tumbled



*Looking for
something special
and more unique?*



Scan here to see our digital look book for more creative inspiration for your own one of a kind outdoor living space.

THE GEMSTONE SERIES

COMING SOON



Earth


The Gemstone Series features a vast array of exclusive aggregates. Experience the Art of Acker-Stone with an infusion of brilliant colors, captivating finishes, unique textures and a customization only you can dare to dream of.



Charcoal with Large Black Aggregate



Granada White with AZ Del Mar Aggregate



Granada White with Green & Blue Glass



Light Moonstone



Stanford Sand with Shells



Venetian Grey



Crystal



Obsidian



Ocean



Mirror



Emerald

ANCILLARY PRODUCTS



BP PRO

	Product ID	Notes
A Stay Sand (Buff)	BP1120	1 – 50 lbs Bag
B Stay Sand (Grey)	BP1120	1 – 50 lbs Bag
C BP Pro Joint Stabilizing Sealer - NSS	B212	1 Gallon
	B213	5 Gallon Pail
	B214	55 Gallon Drum
D BP Pro Enhancing Stabilizing Sealer - ESS	B222	1 Gallon
	B223	5 Gallon Pail
	B224	55 Gallon Drum
E BP Pro Permeable Stabilizing Sealer - PSS	BP273	5 Gallon
	BP274	55 Gallon Drum
F BP Pro Wet Look Stabilizing Sealer - WSS	B262	1 Gallon
	B263	5 Gallon Pail
	B264	55 Gallon Drum
G BP Pro Invisible StainBLOCKER	BP373	5 Gallon Pail
	BP374	55 Gallon Drum
H BP Pro Eco-New Concentrate Cleaner - ENC	BP972	1 Gallon
I BP Pro Electric Pump	(Please see website for more information)	



SUREBOND

J	PolySweep Sand	Color	Product ID	Notes
		Tan Grey		
K	SB-10 PaverBond Adhesive		CSB10T-12	Tube 10 oz Individual
			CSB10T-12	Tubes 10 oz Case 12
L	SB-1300 Joint Stabilizing Sealer		SB-1300 G	1 Gallon - Case of 6
			SB-1300 P	5 Gallon Pail
			SB-1300 D	55 Gallon Drum
M	SB-7700 Gloss Joint Stabilizing Sealer		SB-7700 G	1 Gallon - Case of 6
			SB-7700 P	5 Gallon Pail
			SB-7700 D	55 Gallon Drum
N	SB-5000 Stainblocking Invisible Sealer		SB-5000 G	1 Gallon - Case of 6
			SB-5000 P	5 Gallon Pail
			SB-5000 D	55 Gallon Drum
O	SB-8700 Wet Look Stabilizing Sealer		SB-8700 P	5 Gallon Pail
P	Efflo-Off		SB-Efflo-Off G	1 Gallon - Case of 4
			SB-Efflo-Off P	5 Gallon Pail



PEDESTAL SYSTEMS AVAILABLE

Bison Versadjust
Bison Level.it



For a complete list of available Ancillary Products, please contact your representative.

PRODUCT DETAILS

COLOR SWATCHES

Due to the inherent nature of printed literature and current digital media, Acker-Stone cannot guarantee exact color matching from use of printed color swatches. The materials that are used in Acker-Stone's pavers and walls deliver a range of natural colors that closely match those used in physical samples, catalogs, web sites, color swatch photography and digital images. Pavers and walls will vary slightly due to the environmental conditions. Therefore, color swatch photographs are an approximate representation of color and not an exact match. Final color selection should be made from physical product. If there are discrepancies, contact Acker-Stone sales representative before project installation commences. Installation of product constitutes its acceptance.

EFFLORESCENCE

Efflorescence is a naturally occurring process in all concrete products that sometimes appears in the form of a white powdery substance on the surface. It does not compromise the functionality or structural integrity of the product. Although efflorescence cannot be completely prevented, it will wash off over time and can be cleaned with efflorescence cleaner. Acker-Stone accepts no responsibility or liability for this condition.

COMPACTION EQUIPMENT

Paving stones with an embossed, slate surface or face mix surface finish are more susceptible to scuffing from compaction equipment used in most paver installations. Acker-Stone recommends the use of a urethane mat between the plate and the paver surface when compacting. Contact your equipment supplier for information about accessories for this purpose. Acker-Stone will not be held responsible for damage caused by the misuse of compaction equipment, leaving scuff marks, or burns on pavers.

PROPER COLOR DISTRIBUTION THROUGH LAYING TECHNIQUES

Proper installation enhances the overall color of the pavement surface. Pavers should be selected from at least three separate pallets and then randomly mixed. This creates an attractive and subtle blend of color.

SPECIFICATIONS

Subtle variances in production and environmental factors could affect the density, weight, and definite sizes of each paver. All specs listed on product pages are approximates and nominal to the actual weight and sizing of our pavers and pallets

RESIDENTIAL WARRANTY

Acker-Stone provides a lifetime guarantee on the structural integrity of its paving stones to the original single-family home purchaser. Poor or faulty installations that are not in compliance with ICPI guidelines will render this guarantee null and void. Replacement labor and transportation costs are not included in this guarantee.

This warranty does not apply to any breakage, chipping, natural wear or other deterioration that was caused from improper design or installation which does not comply with applicable codes, the ICPI (Interlocking Concrete Pavement Institute), NCMA (National Concrete Masonry association) and recognized work procedures. Please visit www.icpi.org and www.ncma.org for more information on installation specifications. This warranty does not apply to any damage resulting from a natural disaster or from a deliberate and/or negligent act on the part of the purchaser, owner of the building, installer or any third party. For more information about the commercial warranty, please contact your Acker-Stone representative.



The Art of Acker-Stone



AckerStone.com | 13296 Temescal Canyon Road, Corona, CA 92883 | 800-258-2353

